


MODEL T13 S

The model T13 S is a freestanding medium capacity plate heat exchanger. It is available in multiple frame sizes using either carbon steel or stainless steel. It can accommodate flow rates up to 150 gallons per minute. Plate gaskets are FDA approved EPDM or NBR clip style.

(Other materials are available upon request)



SPECIFICATIONS:

FRAME SIZE "A"	PLATE CAPACITY	FEET STYLE	H	L	F	
24"	61	TAB	36-1/8"	29"	27-1/2"	HEAT TRANSFER AREA PER PLATE 1.40 SQ. FEET
24"	61	ADJ.	43-1/8"	28-3/8"	-	FIXED/MOVABLE HEAD PORT CONNECTIONS 2" CLAMP (STANDARD)
36"	121	TAB	36-1/8"	41"	39-1/2"	INTERMEDIATE PORT CONNECTION 2" CLAMP (STANDARD)
36"	121	ADJ.	43-1/8"	40-3/8"	-	FRAME DESIGN 150 PSI (STANDARD) TESTED @ 200 PSIG
42"	151	ADJ.	46-1/2"	47"	-	300 ° F MAX OPERATION TEMPERATURE DEPENDING ON GASKET MATERIAL
48"	171	ADJ.	46-1/2"	53"	-	
60"	221	ADJ.	46-1/2"	65"	-	

ALL DIMENSIONS ARE APPROXIMATE AND SUBJECT TO CHANGE